
Kiosk

Paula II Kiosk








FEATURES

- 21.5” or 15.6” PCAP touch display
- Superior 2D Barcode scanner for increased performance
- A reliable, high-quality thermal printer

Kiosk

For an optimized workflow



Increase Sales Capacity

Quick & Convenient

No Lines



Kiosk

Specifications

Item	Paula II Kiosk	
Size	21.5”	15.6”
Aspect Ratio	16:9	
Resolution	1920 x 1080	1366 x 768 (option 1920 x 1080)
Brightness	300 nits (option 500 nits)	220 nits (option 400 nits)
Touch	PCAP touch	
CPU	Intel® Core™ i3-1215U (Alder Lake)	
	Intel® Core™ i5-1245U, vPro (Alder Lake)	
	Intel® Core™ i7-1265U, vPro (Alder Lake)	
Memory	DDR4 8GB up to 32GB	
Storage	M.2 PCIe SSD: 128GB up to 1TB	
I/O Interface	1 x RJ45 Ethernet (Host)	
	1 x RJ45 Ethernet (option: EMV Terminal)	
	2 x USB 2.0 (option)	
	1 x Power switch button	
Speaker	1 x Speaker 3W	
Printer	RP-710, RP-700, Options: Epson TM-m30	
Barcode Scanner	2D Scanner TS-1000	
Optional Peripheral	LED indicator	
	EMV Terminal Bracket	
	ADA keypad: Assistive, audio enabled keypad offering menu navigation	
Wi-Fi/BT(option)	Wi-Fi 6E Intel AX210	
	IEEE 802.11 a/b/g/n/acR2/axR2, BT 5.3	
Operating System	1. Windows 11 IoT LTSC 24H2 (64bit)	
	2. Linux (Ubuntu 22.04)	
SW (option)	SW TPM 2.0	
	Intel vPro (i5 / i7 only)	
Reliability	System Operating Temperature: 5~40°C / 32~104°F	
	System Humidity: 15% ~ 80%	
	Storage Temperature: -20~60°C / -4~140°F	
Dimensions (W x H x D)	365 x 745 x 322.93 mm / 13.19 x 29.33 x 12.65 in	
Weight	14 kg / 30.86 lb	

*Specification is subject to change without prior notice

Contact Now

Europe	+49 40 450 635-0	info@partner-tech.eu
United Kingdom	+44 1928 579 707	sales-uk@partner-tech.eu
Spain	+34 913 120632	comercial@partner-tech.eu
Slovenia	+386 1 566 25 20	prodaja@partner-tech.eu
Poland	+48 22 115 93 82	officepoland@partner-tech.eu
France		ptf-contact@partner-tech.eu
South Africa	+27 87 094 0355	PTSAInfo@partner-tech.eu